



VS SUB® Side



VS TAL® Side

**Einbaumaße:****Mindesteinbauhöhen**

VS SUB Side 1	485 mm (2 Körbe)
VS SUB Side 2	577 mm (2 Körbe)
VS SUB Side 3	619 mm (2 Körbe)
VS SUB Side 4	741 mm (3 Körbe)
VS TAL Side 5	1.222 mm (4 Körbe) (3 Führungen)
VS TAL Side 7	1.602 mm (5 Körbe) (3 Führungen)
VS TAL Side 8	1.824 mm (6 Körbe) (3 Führungen)

Korbmaße:


	Korbbreite			Korbtiefe			Korbhöhe		
	K150	K200	K300	K150	K200	K300	Classic Saphir	Premea Artline	Planero
90°	89	139	220 <i>Planero: 230</i>	470	470	470	75	84	80
45°	89	139	220 <i>Planero: 230</i>	460	460	458	75	84 <i>nur Premea</i>	
35°			220 <i>Planero: 230</i>			458	75	84 <i>nur Premea</i>	


Korbvarianten:**Korpusmaße****Ausführung****Beschlag**

RAL 9006 silber Klarlack

Körbe

Chrom, RAL 9006 silber Klarlack













VS TAL® Side VS SUB® Side

07/2019



	A	B
90°	75	123
50°	111	159
45°	103	151
40°	98	146
35°	91	139
30°	85	133

	C	D	E
VS TAL® Side 8	916	872	1788
VS TAL® Side 7	805	761	1566
VS TAL® Side 5	615	571	1186
VS SUB® Side 4	705		
VS SUB® Side 3	583		
VS SUB® Side 2	541		
VS SUB® Side 1	449		



	A
90°	14
50°	28
45°	22
40°	20
35°	20
30°	17

	B	B	C
VS TAL® Side 8	894	907	1766
VS TAL® Side 7	783	796	1544
VS TAL® Side 5	593	606	1164
VS SUB® Side 4	683		
VS SUB® Side 3	561		
VS SUB® Side 2	519		
VS SUB® Side 1	427		

